



Kopa F1

- · Good yield for higher profits
- Robust plant with good stalk strength, resistant to lodging
- 75 80 days to maturity
- Ear length averaging 21 cm and 5 cm in diameter

Disease Resistance Chart		
HR/IR	Common Name	Abbreviation
IR	Northern corn leaf blight	Exserohilum turcicum
IR	Maize Dwarf Mosaic Virus	MDMV



𝔅 +27 (0) 11 659 4961
☑ info@hazera.co.za
☺ www.hazera.co.za



* Resistant varieties may exhibit some disease symptoms or damage under heavy pest pressure and/or under adverse environmental conditions and/or in the face of new biotypes, pathotypes, races or strains of the pest that may emerge. Soil temperature above 27°C and other stresses may cause nematode resistance to break. **Please refer to the ISF definitions at http://www.worldseed.org/wp-content/uploads/2017/05/Definition_on_reaction_plants_to_pests_2017_final.pdf A copy of the definitions for terms describing reactions of plants to pests for the Vegetable Seed Industry, can be obtained at our offices upon demand.

Attention: This information and any complementary/other verbal or written information that may be given on behalf of Hazera present average results of specific trials; these are neither exhaustive nor necessarily accurate and may not be regarded as advice, guidance, recommendation, representation or warranty. Sowing times and growing areas are indicative only. Pictures are illustrative only. The sale & use of seeds are subject to the terms and conditions appearing collectively on seed packages and in catalogues and/or at: http://www.hazera.com/terms-and-conditions. E&OE. © Hazera 2024. All rights reserved.



