




Nguni F1

- Excellent resistance to Black rot
- · Highly tolerant to hot conditions
- Outstanding uniformity with very high first cut percentage
- Great internal quality, ideal for processing, pre-pack and loose heads for retail
- Heads are large and round, weighing between
 4 6 kg
- Relevant maturity at 90 120 days
- Sowing rate from 24 000 35 000 per ha

Disease Resistance Chart		
HR/IR	Common Name	Abbreviation
IR	Black Rot	Xanthomonas campestris (Xcc)
HR	Fusarium wilt	Fusaruim conglutinans (Foc)





⊠ info@hazera.co.za

www.hazera.co.za







^{*} Resistant varieties may exhibit some disease symptoms or damage under heavy pest pressure and/or under adverse environmental conditions and/or in the face of new biotypes, pathotypes, races or strains of the pest that may emerge. Soil temperature above 27°C and other stresses may cause nematode resistance to break.
**Please refer to the ISF definitions at http://www.worldseed.org/wp-content/uploads/2017/05/Definition_on_reaction_plants_to_pests_2017_final.pdf
A copy of the definitions for terms describing reactions of plants to pests for the Vegetable Seed Industry, can be obtained at our offices upon demand.

Attention: This information and any complementary/other verbal or written information that may be given on behalf of Hazera present average results of specific trials; these are neither exhaustive nor necessarily accurate and may not be regarded as advice, guidance, recommendation, representation or warranty. Sowing times and growing areas are indicative only. Pictures are illustrative only. The sale & use of seeds are subject to the terms and conditions appearing collectively on seed packages and in catalogues and/or at: http://www.hazera.com/terms-and-conditions. E&OE. © Hazera 2024. All rights reserved.



